



**CROSS REFERENCE
GOODMAN/ DAIKIN
MULTI-POSITION AIR HANDLER**

ARUF*14 - 18 THRU 60; ARPT*14 24 THRU 60; ASPT 24 THRU 60; ASUF 48 THRU 60
DVPTC 24 THRU 60; DVPVC 24 THRU 60; DVPEC 24 THRU 60; DVFEC 48 THRU 60
AMST - 24 THRU 60; AMVT 24 THRU 60; DMVT 24 THRU 60; AMVE 24 THRU 60
DMVE - 18 THRU 60; DFVE 24 THRU 60; AHVE 24 THRU 60

WARREN MODEL#	GOODMAN / DAIKIN MODEL#	KW	VOLTAGE/ PHASE	AMPS	FITS	STEPS
WKS0302	HKSX03XC / HKTSN03X1	3.0	240/1	12.5	See usage chart	1
WKS0302B	HKSC03XC / HKTSD03X1	3.0	240/1	12.5	See usage chart	1
WKS0412	N/A	4.1	240/1	17.1	See usage chart	1
WKS0412B	N/A	4.1	240/1	17.1	See usage chart	1
WKS0502	HKSX05XC / HKTSN05X1	4.8	240/1	20	See usage chart	1
WKS0502B	HKSC05XC / HKTSD05X1	4.8	240/1	20	See usage chart	1
WKS0602	HKSX06XC / HKTSN06X1	6.0	240/1	25	See usage chart	1
WKS0602B	HKSC06XC / HKTSD06X1	6.0	240/1	25	See usage chart	1
WKS0802	HKSX08XC / HKTSN08X1	8.0	240/1	33.3	See usage chart	1
WKS0802B	HKSC08XC / HKTSD08X1	8.0	240/1	33.3	See usage chart	1
WKS1002	HKSX10XC / HKTSN10X1	9.6	240/1	40	See usage chart	1
WKS1002B	HKSC10XC / HKTSD10X1	9.6	240/1	40	See usage chart	1
WKS1081B	HKSC15XA / HKTSD15XA	10.8	208/1	51.9	See usage chart	2
WKS1081S	HKSC15XA / HKTSD15XA w/ single point jumper bar	10.8	208/1	51.9	See usage chart	2
WKS1502B	HKSC15XB / HKTSD15XB	14.4	240/1	60	See usage chart	2
WKS1502S	HKSC15XB / HKTSD15XB w/ single point jumper bar	14.4	240/1	60	See usage chart	2
WKS1501B	HKSC15XA / HKTSD15XA	14.4	208/1	69.2	See usage chart	2
WKS1501S	HKSC15XA / HKTSD15XA w/ single point jumper bar	14.4	208/1	69.2	See usage chart	2
WKS2002B	HKSC19CB/20DB / HKTSD19DB / 20DB	19.2	240/1	80	See usage chart	2
WKS2002S	HKSC19CB/20DB / HKTSD19DB / 20DB w/ single point jumper bar	19.2	240/1	80	See usage chart	2

WARREN TECHNOLOGY

2050 W 23 ST HIALEAH, FL 33016-9912 * TEL (305) 556-6933 * FAX (305) 557-6157

Website: www.warrenvac.com



**CROSS REFERENCE
GOODMAN/ DAIKIN
MULTI-POSITION AIR HANDLER**

ARUF*14 - 18 THRU 60; ARPT*14 24 THRU 60; ASPT 24 THRU 60; ASUF 48 THRU 60
 DVPTC 24 THRU 60; DVPVC 24 THRU 60; DVPEC 24 THRU 60; DVFEC 48 THRU 60
 AMST - 18 THRU 60; AMVT 24 THRU 60; DMVT 24 THRU 60; AMVE 48 THRU 60
 DMVE 24 - 18 THRU 60; DFVE 24 24 THRU 60; AHVE 24 THRU 60

WARREN MODEL#	GOODMAN / DAIKIN MODEL#	KW	VOLTAGE/ PHASE	AMPS	FITS	STEPS
WKS0504	N/A	4.8	240/3	11.5	See usage chart	1
WKS0804	N/A	8.0	240/3	19.2	See usage chart	1
WKS1004	N/A	9.00	240/3	21.7	See usage chart	1
WKS1504	HKSC15XF / HKTSN15X3	14.4	240/3	34.6	See usage chart	1
WKS1504B	N/A	14.4	240/3	34.6	See usage chart	1
WKS2004	N/A	17.0	240/3	40.9	See usage chart	1
WKS2004B	HKSC20XF / HKSC20XF	17.0	240/3	40.9	See usage chart	1
WKS0505	N/A	4.8	480/3	5.8	See usage chart	1
WKS0505A	N/A	4.8	480/3	5.8	See usage chart	1
WKS0605	N/A	6.0	480/3	7.2	See usage chart	1
WKS0605A	N/A	6.0	480/3	7.2	See usage chart	1
WKS0805	N/A	8.0	480/3	9.6	See usage chart	1
WKS0805A	N/A	8.0	480/3	9.6	See usage chart	1
WKS1005	N/A	9.6	480/3	11.5	See usage chart	1
WKS1005A	N/A	9.6	480/3	11.5	See usage chart	1
WKS1505	N/A	13.5	480/3	16.2	See usage chart	1
WKS1505A	N/A	13.5	480/3	16.2	See usage chart	1
WKS2005	N/A	18.5	480/3	22.3	See usage chart	1
WKS2005A	N/A	18.5	480/3	22.3	See usage chart	1

NOTES:

'A' DENOTES AUTO TRANSFORMER

'B' DENOTES CIRCUIT BREAKERS

'S' DENOTES SINGLE POINT

WARREN TECHNOLOGY

2050 W 23 ST HIALEAH, FL 33016-9912 * TEL (305) 556-6933 * FAX (305) 557-6157

Website: www.warrenvac.com

